






S450-ECE 断面図

- ① ECEカバープレート (t=1.5)
- ② ECEブラケット (P=400)
- ③ 止水補助シートホルダー
- ④ ウェザーストリップ
- ⑤ 止水補助シート (別発注)
- ⑥ ドリルねじ (トラス頭4×13)
- ⑦ 木ねじ (5.5×40)
- ⑧ アンカーフ ラク (φ8)




S450-ECE（遮炎仕様） 断面図

- ① 耐火帯押えプレート
- ② 耐火帯




S450-EE 断面図

- ① EEカバープレート (t=1.5)
- ② EEブラケット (P=400)
- ③ 止水補助シートホルダー
- ④ ウェザーストリップL
- ⑤ 止水補助シート (別発注)
- ⑥ ドリルねじ (トラス頭4×13)
- ⑦ 木ねじ (5.5×40)
- ⑧ アンカーブ`ラク` (φ8)




S450-EE (遮炎仕様) 断面図


- ① 耐火帯押えプレート
- ② 耐火帯



S450-FCH 断面図


- | | |
|------------------------|-------------------|
| ① センタープレート (t=1.5+3.0) | ⑪ ドリルねじ (トラス4×13) |
| ② フレームカバー (t=1.5+3.0) | ⑫ 木ねじ (5.5×56) |
| ③ コーナーフレームカバー | ⑬ アンカープラグ (φ8) |
| ④ フレーム | |
| ⑤ コーナーフレーム | |
| ⑥ 止水補助シート押え | |
| ⑦ ウェザーストリップ | |
| ⑧ 止水補助シート (別発注) | |
| ⑨ FWパッキン | |
| ⑩ ドリルねじ (皿4×19) | |






S450-FCHM 断面図

- | | |
|------------------------|--------------------|
| ① センタープレート (t=1.5+3.0) | ⑪ ドリルねじ (トラス頭4×13) |
| ② フレームカバー (t=4.5) | ⑫ 木ねじ (5.5×56) |
| ③ コーナーフレームカバー | ⑬ アンカープラグ (φ8) |
| ④ フレーム | ⑭ エッジ (t=3.0) |
| ⑤ コーナーフレーム | |
| ⑥ 止水補助シート押え | |
| ⑦ ウェザーストリップ | |
| ⑧ 止水補助シート (別発注) | |
| ⑨ FWパッキン | |
| ⑩ ドリルねじ (皿頭4×19) | |




S450-FCHMB 断面図

- | | |
|--------------------|-------------------------------|
| ① センタープレート (t=4.5) | ⑪ ドリルねじ (トラス頭4×13) |
| ② フレームカバー (t=4.5) | ⑫ 木ねじ (5.5×56) |
| ③ コーナーフレームカバー | ⑬ アンカープラグ (φ8) |
| ④ フレーム | ⑭ エッジ (t=3.0) |
| ⑤ コーナーフレーム | ⑮ M5皿小ねじ、座金、ばね座金、六角ナット (現場組立) |
| ⑥ 止水補助シート押え | |
| ⑦ ウェザーストリップ | |
| ⑧ 止水補助シート (別発注) | |
| ⑨ FWパッキン | |
| ⑩ ドリルねじ (皿頭4×19) | |




S450-FCK




S450-FCS
S450-FCST

	A寸法	B寸法
S250~500FCS (ステン仕様)	20	23
S250~500FCST (スチール仕様)	19.7	23.3




S450-FH 断面図

- ① センタープレート (t=1.5+3.0)
- ② フレームカバー (t=3.0)
- ③ フレーム
- ④ 止水補助シート押え
- ⑤ 止水補助シート (別発注)
- ⑥ FWパッキン
- ⑦ ドリルねじ (皿頭4×19)
- ⑧ ドリルねじ (トラス頭4×13)
- ⑨ 木ねじ (5.5×56)
- ⑩ アンカーフ ラク (φ8)




S450-FH-AS 断面図

- | | |
|------------------------|----------------|
| ① センタープレート (t=1.5+3.0) | ⑪ 木ねじ (5.5×56) |
| ② フレームカバー (t=1.5+3.0) | ⑫ アンカープラグ (φ8) |
| ③ ASフレームカバー (t=3.0) | ⑬ ASストッパー |
| ④ フレーム | |
| ⑤ ASフレーム | |
| ⑥ 止水補助シート押え | |
| ⑦ 止水補助シート (別発注) | |
| ⑧ FWパッキン | |
| ⑨ ドリルねじ (皿頭4×19) | |
| ⑩ ドリルねじ (トラス頭4×13) | |




S450-FH-AS (遮炎仕様) 断面図

- ① 耐火帯押えプレート
- ② 耐火帯




S450-FH（遮炎仕様） 断面図

- ① 耐火帯押えプレート
- ② 耐火帯




S450-FHM 断面図

- ① センタープレート (t=1.5+3.0)
- ② フレームカバー (t=3.2)
- ③ フレーム
- ④ 止水補助シート押え
- ⑤ 止水補助シート (別発注)
- ⑥ FWバックシン
- ⑦ ドリルねじ (皿頭4×19)
- ⑧ ドリルねじ (トラス頭4×13)
- ⑨ 木ねじ (5.5×56)
- ⑩ アンカーフ`ラク` (φ8)
- ⑪ エッジ (t=3.0)



S450-FHM-AS 断面図


- | | |
|------------------------|----------------|
| ① センタープレート (t=1.5+3.0) | ⑪ 木ねじ (5.5×56) |
| ② フレームカバー (t=4.5) | ⑫ アンカープラグ (φ8) |
| ③ ASフレームカバー | ⑬ ASストッパー |
| ④ フレーム | ⑭ エッジ (t=3.0) |
| ⑤ ASフレーム | |
| ⑥ 止水補助シート押え | |
| ⑦ 止水補助シート (別発注) | |
| ⑧ FWパッキン | |
| ⑨ ドリルねじ (皿頭4×19) | |
| ⑩ ドリルねじ (トラス頭4×13) | |




S450-FHMB 断面図


- | | |
|---|-------------------------------|
| ① センタープレート (t=4.5) | ⑪ エッジ (t=3.0) |
| ② フレームカバー (t=3.2) | ⑫ M5皿小ねじ、座金、ばね座金、六角ナット (現場組立) |
| ③ フレーム | |
| ④ 止水補助シート押え | |
| ⑤ 止水補助シート (別発注) | |
| ⑥ FWパッキン | |
| ⑦ ドリルねじ (皿頭4×19) | |
| ⑧ ドリルねじ (トラス頭4×13) | |
| ⑨ 木ねじ (5.5×56) | |
| ⑩ アンカーブ [®] ラク [®] (φ8) | |

-
- Technical drawing of a bed frame assembly, showing dimensions and components. The drawing includes a side view and a top view. The side view shows a bed frame with a headboard and footboard, and a mattress. The top view shows the bed frame with dimensions for the headboard, footboard, and mattress. The dimensions are as follows:
- Overall width: 1002.5
 - Headboard width: 77.5
 - Headboard depth: 45
 - Headboard thickness: 25, 20
 - Footboard width: 475
 - Footboard depth: 45
 - Footboard thickness: 20, 25
 - Bed frame width: 360
 - Bed frame depth: 450
 - Bed frame thickness: 30, 25
 - Bed frame height: 37
 - Bed frame length: 170, 170
 - Bed frame width (inner): 450
 - Bed frame width (outer): 475
 - Bed frame height (inner): 30
 - Bed frame height (outer): 37
 - Bed frame length (inner): 170
 - Bed frame length (outer): 170
 - Bed frame width (inner): 450
 - Bed frame width (outer): 475
 - Bed frame height (inner): 30
 - Bed frame height (outer): 37
 - Bed frame length (inner): 170
 - Bed frame length (outer): 170
- The drawing also includes 15 numbered callouts (1-15) pointing to various components of the bed frame assembly. A note on the right side of the drawing reads: "床仕上材 (別途)" (Bed finishing material (separate)).




S450-FK







S450-ICE 断面图



S450-IE 断面图





























S450-TCE 断面图



S450-TE 断面图

屋根ー外壁（ステンレス）



屋根－屋根（ステンレス）

